规格书SPECIFICATION

DESCRIPTION：SCUPC-SC/UPC,SM,G652D,2.4MM.5M.SX.LSZH.Red
VCHUNG PRODUCT CODE：22126SS5

1.Length tolerance: 500 ± 5cm.
2. IL.<0.30dB，RL.UPC>50dB.
3. Fiber type: 9/125um, G.652D.
5. Cable material: LSZH
6.Package: one patch-cord in a bag.
7. Connector and boot color: SC/UPC_blue, 3.0mm BOOT
8. Stopper material: metal
Housing as the pictures:




注意： 5 米的包装方式请参考 3 米的包装，仅米数不同

Single Packaging


	Step 1 Two black zip ties at both end. Pack 1pc patchcord into a self-sealing bag. The label(60 x 40mm)is attached to the center of bag. The label content show as 1-1. The plastic bag size is 200 x 200mm or similar show as 1

1 . Plastic bag Size : 260X 300(mm)



2. Label Size : 60 X 40 (mm)

1-1 : Font : See phote



(Sample : 5M)


2-2 : Contents of writing 1 : OJC-SCU-SCU-SM(2.4)-SX-LSZH-RED-5M

2-2 : Contents of writing 2 : 5M

2-3 : Font Size : 2mm

Muti Packaging (20ea)

	Step 2 Pack 20PCS of Patchcords into a large self- sealing bag. The label(60 x 40mm)is attached to the center of the large plastic bag. the label content show as 2-1 The large plastic bag size is 260 x 300mm or similar show as 2

2 . Plastic bag Size : 260 X 300(mm)


2. Label Size : 60 X 40 (mm)
2-1 : Font : See phote  (Sample : 5M)
2-2 : Contents of writing 1 : OJC-SCU-SCU-SM(2.4)-SX-LSZH-RED-5M
2-2 : Contents of writing 2 : 20PCS
2-3 : Font Size : 2mm

Pallet Packaging

 Only numbering label	Step 3 Only attach minimized size of numbering label to the each of carton without any model number and description etc like this picture